


Trigonometry 2 (H)

A collection of 9-1 Maths GCSE Sample and Specimen questions from AQA, OCR, Pearson-Edexcel and WJEC Eduqas.


Name:	Mel@Jet Maths
Total Marks:	

1. The area of the triangle is $\sqrt{300}$ cm².



Calculate the length of AB.

area = 1/2 absurc $\sqrt{300} = \frac{1}{2} \times (20+3) \times 20 \times 50060$ $\infty(2C+3)\times \overline{3}$ 10/3 = 1 the [8] using $c^2 = b^2 + a^2 - 2ba \cos C$ $\frac{1}{2}x^{2} + \frac{3}{2}x$ x - 40 = 0 $=5^{2}+8^{2}-2\times5\times8$ costo =25+64 - 80×0.5 (x+8)(x-5)=0= 89-40 x=-8 x=5 C= 549 notasolul c = 7 cmAB = 7cm




www.justmaths.co.uk

Trigonometry 2 (H) - Version 3 February 2016

4. A Big Wheel is modelled as a circle with centre *O* and radius 15 metres. The wheel turns in an anticlockwise direction.

The lowest point on the wheel is always 2 metres above horizontal ground.




Angle $DOB = 120^{\circ}$

Work out the height of *D* above horizontal ground.

[2]

[2]


(c) Here is a sketch of the graph $h = 17 - 15 \cos x^{\circ}$ for one complete turn of the wheel.





Trigonometry 2 (H) - Version 3 February 2016

JustMaths



180-45 = 135 135 = 67.5


7. Simon cuts the corners off a square piece of card to leave the regular octagon shown below. △ OA6 is isosceles so

O is the centre of the octagon.

A and B are vertices of the octagon.

OA = OB = 5 cm.

Angle AOB = 45° .



JustMaths

a) (i) Work out the area of the octagon.

area of \$ OAB vsing ≥1 absinC 70.7106... z I v S x S x Sinlys (a)(i) 70.7 (3s.C) cm² [3] = 2552 (ii) Work out the area of the original square piece of card.

ung prevous work.

$$area = 9.238 \dots \times 9.238 \dots$$

 $= 85.35533 \dots$

b) Simon now makes a table top using the card as a model.


The sides of the table top are 8 times as long as the sides of the card model. Find the ratio of the area of Simon's table top to the area of the card model.

length scale factor = 8 area SF = 82 volume SF = 83


aread areadf table top: model




8. In the triangle, angle *y* is obtuse.



Work out the size of angle *y*.



9. (a) Sketch the graph of y = sinx for $0^{\circ} \le x \le 360^{\circ}$.



b) (i) Write down the coordinates of the maximum point of y = sinx for $0^{\circ} \le x \le 360^{\circ}$.

ii) Write down the coordinates of the maximum point of y = 3 + sinx for $0^{\circ} \le x \le 360^{\circ}$.

ths

JustMo

c) One solution to the equation $4 \sin x = k$ is $x = 60^{\circ}$.

i) Find the value of k.


$$scn 60 = \frac{3}{2}$$
 $4 \times \frac{3}{2} = 2\sqrt{3}$
c)(i) $k =2\sqrt{3}$ [2]


ii) Find another solution for x in the range $0^{\circ} \le x \le 360^{\circ}$.

$$3u_{1} > c = \sqrt{3}$$

 2
 $2c = 0 + 60^{\circ}$ $3c = 180^{\circ} - 60 = ii)_{x} = ... \sqrt{20^{\circ}}$


10 Sketch the graph of $y = \cos x^{\circ}$ for $0 \le x \le 360$








b) The graph of y = sin x is shown on the grid for $0^{\circ} \le x \le 360^{\circ}$ On this grid sketch the graph of y = $-\sin x$ for $0^{\circ} \le x \le 360^{\circ}$




c) On this grid sketch the graph of y = tan x for $0^{\circ} \leq x \leq 360^{\circ}$




[1]





14. Triangle ABC has area 40 cm².



Work out the length of BC. Give your answer as a surd in its simplest form.

$$area = \frac{1}{2} \times 2x \times x \times s \times 30$$

$$40x2 = x^{2}x^{\frac{1}{2}}$$

$$x^{2} = 80$$

$$x = 580$$
www.justmaths.co.uk
$$= 51655$$

$$= 0.55$$


4 cm [6]

Trigonometry 2 (H) - Version 3 February 2016


[2]

JustMaths

15. Which expression gives the area, in cm², of this triangle?



JustMaths



Kernal is using trigonometry to work out the size of angle x.

He assumes that angle ABC is a right angle.

In fact, the size of angle ABC is 85°

What is the effect of his assumption on the accuracy of his answer?

You must show your working.

$$if AbC is a nghtangle.$$

$$if$$

$$sin sc = 6$$

$$10$$

$$zc = sin^{-1} \left(\frac{6}{10}\right)$$

$$= 36-87^{\circ}$$
Si

if its 85° we need to ue
the Sine kule

$$\frac{50.85}{10} = \frac{30.2}{6}$$

$$\frac{50.2}{6} = \frac{50.85}{6} \times 6$$

$$\frac{2}{10} = \frac{50.85}{10} \times 6$$

$$\frac{2}{10} = \frac{36.706}{10}$$

by arwing et is 90° it leads to an overstatement of the arwe of 0.16°